

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1.(original) Mechanism for displaying the moon phases with an upper disc or moon dial (1) and a lower disc or moon indicator (2) mounted concentrically to it, with one of these discs being mounted rotatably relative to the other, characterized in that the moon dial (1) has two windows (1a, 1b) in order to allow for the different appearance of the moon phases in the northern and southern hemisphere of the earth.
- 2.(currently amended) Mechanism according to ~~the preceding claim~~ claim 1, characterized in that it is arranged in such a way that the moon phases are displayed simultaneously for both hemispheres while allowing for their different appearance in the northern and southern hemisphere of the earth.
- 3.(original) Mechanism according to claim 1, characterized in that it is arranged in such a way that the moon phases are displayed for one hemisphere while allowing for their different appearance in the northern and southern hemisphere of the earth.
- 4.(currently amended) Mechanism according to ~~one of the preceding claims~~ claim 1, characterized in that the moon indicator (2) has a graphical design on its surface turned toward the moon dial (1) which in cooperation with the windows (1a, 1b) of the moon dial (1) is adapted to display the moon phases.

5. (currently amended) Mechanism according to ~~the preceding~~
~~claim~~ claim 4, characterized in that the graphical design of
the moon indicator (2) comprises at least one dark region (2a)
representing the part of the moon's surface that is not
illuminated, and at least one bright region (2b) representing
the illuminated part of the moon's surface.

6. (currently amended) Mechanism according to ~~the preceding~~
~~claim~~ claim 5, characterized in that the graphical design of
the moon indicator (2) comprises two dark circular areas
having the size of the windows (1a, 1b) of the moon dial (1)
as well as a bright background.

7. (original) Mechanism according to claim 5, characterized in
that the graphical design of the moon indicator (2) comprises
a dark region and a bright region delimited against each other
by two arched separating lines having a radius that
corresponds to the size of the windows (1a, 1b) of the moon
dial (1).

8. (currently amended) Mechanism according to ~~one of the~~
~~preceding claims~~ claim 1, characterized in that the windows
(1a, 1b) of the moon dial (1) are arranged on opposite sides
of and at equal distances from the centre of this dial.

9. (currently amended) Mechanism according to ~~one of the~~
~~preceding claims~~ claim 1, characterized in that a moon
indicator wheel (4) and the moon dial (1) are attached to a
shaft (3) so that they rotate in synchronization while the
moon indicator (2) is stationary.

10. (currently amended) Mechanism according to ~~one of claims 1~~
~~to 8~~ claim 1, characterized in that a moon indicator wheel (4)
and the moon indicator (2) are attached to a shaft (3) so that

they rotate in synchronization while the moon dial (1) is stationary.

11.(currently amended) Mechanism according to ~~one of the two preceding claims~~ claim 9, characterized in that a day star wheel (6a) mounted on a day wheel (6) and passing on the drive power is advanced once a day by one tooth, such that the day wheel (6) drives the moon indicator wheel (4) via a moon phase intermediate wheel (5).

12.(currently amended) Watch, characterized in that it comprises a mechanism for displaying the moon phases according to ~~one of the preceding claims~~ claim 1.